diseño

SERIES

WALL & FLOOR
TILES

CATALOGUE | 2024

Since 1995

KHADIM CERAMICS

BUILDING A BETTER BANGLADESH

diseño

SERIES

Diseño - the Spanish word for design connects our enthusiasm to bring the wind of European taste to the field of ceramic tiles in Bangladesh. Design your dreams with the exclusive combination of wall and floor tiles, created just as your preference.

With a bunch of skilled European and Chinese consultants, and state-of-the-art technology, we are striving to bring you the best combo you seek for your place. See your designs come alive with our exclusive Diseño series.

DESIGNED WITH

Simplicity

TABLE OF **CONTENTS**

02 **MATT**
WALL & FLOOR / 20X17.5 CM

04 **PGVT**
FLOOR / 60X60 CM

08 **MATT**
FLOOR / 60X60 CM

12 **MATT**
WALL & FLOOR / 30X90 CM

14 **MATT**
WALL & FLOOR / 30X60 CM

18 **GLOSSY**
WALL / 30X60 CM
FLOOR / 30X30 CM

24 **CRYSTAL GLOSSY**
FLOOR / 40X40 CM

26 **MATT HOMOGENEOUS**
FLOOR / 60X60 | 40X40
30X30 CM

27 **GLOSSY**
WALL / 25X40 CM
FLOOR / 30X30 CM

31 TECHNICAL
SPECIFICATIONS
& PRODUCT DETAILS

ICONOGRAPHY:

Plain Surface

Textured Surface

Pattern Variations

Matt Finish

Glazed Finish

Different lighting conditions and other technical aspects of printing may cause slight variations in the color of the visuals in this brochure. Please refer to the actual product for better insight.

20X17.5 CM | MATT | WALL & FLOOR TILES

diseño
SERIES

Balance your wall and floor with beauty and uniqueness. Modern space needs modern shapes for tiles with soothing colors for the eyes. Our Hexagon tiles can become the ornament and the protection you need for your surfaces.

Matt finishing gives an anti-skid feature for using it on floor surfaces, even in high-traffic areas. And because of its balanced weight, using it on wall surfaces provides you with the same elegance you look for.

KCL-M-300 W



diseño

SERIES

WALL & FLOOR TILES | MATT | 20X17.5 CM



KCL-M-301 BL



KCL-M-302 GR

60X60 CM | PGVT | FLOOR TILES

diseño
SERIES

Busk your floor with radiance and showcase your excellence in taste showered in your tiles. Our floor tiles are well-equipped with stain and scratch-resistant features. Along with simplistic elegance in design, we deliver you the standard you deserve.

The quality of each tile is ensured at each and every node of the manufacturing process. So that you can step on them with the elegance and vigor you crave.

KCL-P-1102

KCL-P-1100

diseño

SERIES

FLOOR TILES | PGVT | 60X60 CM



KCL-P-1101

KCL-P-1103

KCL-P-1104

KCL-P-1106

60X60 CM | PGVT | FLOOR TILES

diseño
SERIES

KCL-P-1107

KCL-P-1108

KCL-P-1109



KCL-P-1110



KCL-P-1111

KCL-P-1112

KCL-P-1113

KCL-P-1114

KCL-P-1115

60X60 CM | MATT | FLOOR TILES

diseño
SERIES

Speed is a necessity to progress. When speed meets beauty then it gives birth to satisfactory development. Matt floor tiles give better friction for the passengers where speedy movement is necessary. Most corporate establishments use floor tiles for better and faster progress. Our Diseño matt floor tiles give the ultimate matt feel with anti-skid features.



KCL-M-1160 G

KCL-M-1161

diseño

SERIES

FLOOR TILES | MATT | 60X60 CM

F2 F3 F4

F1

KCL-M-1163 BR

F2 F3 F4

F1

KCL-M-1163 G

60X60 CM | MATT | **FLOOR TILES**

diseño
SERIES

KCL-M-1162 BG

KCL-M-1164 W

DELVE INTO OUR FULL RANGE OF TILES

visit khadimceramic.com

diseño SERIES

DESIGNED WITH *Simplicity*

ODYSSEY SERIES

BAROQUE INSPIRED TILES

eternal SERIES

TAILORED FROM *Timeless Elements*

Product Ranges

CERAMIC BLOCKS · FACING BRICKS · CLAY CLADDINGS · EUROPA SERIES · diseño SERIES · ODYSSEY SERIES · eternal SERIES

KHADIM'S ROOF TILE · PAVERS collection · TAC TILES · Ornamental SCREENS · InstaFIX · grout GUARD

30X90 CM | MATT | WALL & FLOOR TILES

diseño
SERIES

Bring the grand look to your space with our matt tiles series. The energy and vibration of your dream can incorporate with the grandness, along the way you may explore the value of strength when it comes to ceramic tiles to create ambiance.

F1

F2

F3

KCL-M-4204

KCL-M-4205 L HL-1

30X60 CM | MATT | WALL & FLOOR TILES

diseño
SERIES

Create harmony in your space with the matt tile combinations for your wall & floor in a special 30x60 cm size. The best design highlighters combined naturally, these tiles can create the best look for your backsplash, an accent wall or, can create an astonishing floor. Get the rhythm you need at your place.

KCL-M-481 BG HL-1

KCL-M-481 G HL-1

diseño

SERIES

WALL & FLOOR TILES | MATT | 30X60 CM



KCL-M-482 G HL-1

KCL-M-483 HL-1



KCL-M-484 HL-1

KCL-M-484 HL-11

KCL-M-483 GR L HL-1 D



KCL-M-485 L HL-1 D



KCL-M-486 HL-1



KCL-M-487 HL-1

KCL-M-488 HL-1

KCL-M-488 HL-11

30X60 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT

diseño

SERIES

Another line of great combinations for wall & floor tiles, all in natural glossy finishing. Light up your place to the fullest, and get the warmth you need or the naturally cool environment you like after a long day. Even if you are in a dull mood, the combination of these tiles will lighten up your mood and make you fully energetic.

KCL-G-401 L HL-1 D

KCL-G-400

KCL-F-501 L

diseño

SERIES

30X60 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT



KCL-F-503 L

KCL-F-507 L

KCL-F-530 D

KCL-G-403 L HL-1 D

KCL-G-407 L HL-1

KCL-G-430 L HL-1 D

30X60 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT

diseño

SERIES

KCL-G-429 BG HL-1

KCL-G-429 BG HL-2

KCL-G-431 L HL-1 D

KCL-G-431 L HL-2 D

KCL-F-531 D

diseño

SERIES

30X60 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT



KCL-G-451 HL-1

KCL-F-551

KCL-F-552 L

KCL-G-452 L HL-1 D

KCL-G-452 L HL-2 D

KCL-G-453 HL-1

KCL-G-454 W HL-1

KCL-F-554 W

KCL-F-556 G

KCL-G-455 CR HL-1

KCL-G-455 BG HL-11

KCL-G-456 G HL-1

30X60 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT

diseño

SERIES

KCL-G-456 W L HL-1 D



KCL-G-456 W L HL-2 D

KCL-G-457 G HL-1

KCL-F-557 G

KCL-F-556 W

KCL-G-457 BL HL-11

KCL-G-458 G HL-11

KCL-G-459 GR HL-1

KCL-F-557 BL

diseño

SERIES

30X60 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT



KCL-G-459 HL-1

KCL-G-460 HL-1

KCL-G-460 HL-2

KCL-F-559

40X40 CM
FLOOR / CRYSTAL GLOSSY

diseño
SERIES

Perfect finishing with a shining outlook, the Crystal Glossy tiles provide warm welcome to anyone and everyone visiting your space. And you can feel the warmth all the time, giving you the serene vibe you need.

KCL-CG-730


KCL-CG-731

KCL-CG-732


KCL-CG-733


KCL-CG-734


KCL-CG-735


KCL-CG-736


KCL-CG-737

KCL-CG-738


KCL-CG-739

diseño

SERIES

40X40 CM

FLOOR / CRYSTAL GLOSSY

KCL-CG-740



KCL-CG-741

KCL-CG-742

KCL-CG-744



KCL-CG-745

60X60 CM | 40X40 CM | 30X30 CM

FLOOR / MATT HOMEGENEOUS

diseño

SERIES

Simplicity, strength, and sophistication, for creating an ambiance that not only reflects beauty but also durability. Diseño matt homogeneous tiles are the perfect match for your floors. Even when it comes to water and scratch resistance, you can expect astonishing performance!

KCL-F-1100 H



KCL-F-700 H

KCL-F-500 H

diseño

SERIES

25X40 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT

The ultimate combinations of matt floor and glossy wall tiles, designed in a manner that can outgrow the lavish look of any space are here. Where aesthetic feel needs functional vibe, you can put these combinations without things twice.

KCL-G-801

KCL-G-836 BG HL-1

KCL-G-807 ONX

KCL-G-800

KCL-G-816 ONX

KCL-F-536 BG

25X40 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT

diseño

SERIES

KCL-G-835 G HL-1

KCL-G-836 BG HL-2



KCL-G-837 L HL-1 D

KCL-F-539

KCL-F-536 BG

KCL-G-839 HL-1

KCL-G-840 HL-1

KCL-G-840 HL-2

KCL-G-841 HL-1

KCL-G-842 L HL-1

KCL-G-845 HL-1

diseño

SERIES

25X40 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT



KCL-F-543



KCL-F-544

KCL-F-550

KCL-G-843 L HL-1

KCL-G-844 HL-1

KCL-G-850 HL-1

25X40 CM | 30X30 CM

WALL / GLOSSY **FLOOR** / MATT

diseño

SERIES

KCL-G-850 BG HL-1

KCL-G-850 BG HL-2

KCL-G-851 HL-1

KCL-G-852 BR HL-1

KCL-G-852 W HL-1

KCL-G-853 HL-1

KCL-F-552 W



KCL-G-854 L HL-1 D



KCL-G-855 CR HL-1

KCL-G-855 GR HL-1

PGVT FLOOR
60X60 CM

	TEST DESCRIPTION	STANDARD METHOD	ISO/BDS	KHADIM STANDARD
1	Length & Width	BDS EN ISO 10545-2	+0.5%	+0.3%
2	Thickness	BDS EN ISO 10545-2	±5%	+0.3%
3	Straightness of Sides	BDS EN ISO 10545-2	+0.5%	+0.35%
4	Rectangularity	BDS EN ISO 10545-2	+0.5%	+0.35%
5	Surface Flatness	BDS EN ISO 10545-2	+0.5%	+0.4%
6	Color difference	ISO 10545-16	Unaltered	Unaltered
7	Water Absorption	BDS EN ISO 10545-3	Group Blb 0.5%≤Eb<3%	<1%
8	Apparent Density	DIN 51082	> 2.0 g/cc	> 2.28 g/cc
9	Modulus of Rupture	BDS EN ISO 10545-4	Group Blb Min. 30 N/mm^2	> 40 N/mm^2
10	Breaking Strength	BDS EN ISO 10545-4	> 1100 N	> 1800 N
11	Impact resistance (COR)	BDS EN ISO 10545-5	As per Manufacturer	> 0.55
12	Resistance to Surface Abrasion	BDS EN ISO 10545-6	Class 2-4	Class 2-4
13	Surface scratch hardness (MOHS)	BS EN 101	5	5
14	Thermal Shock Resistance	BDS EN ISO 10545-9	No damage	No damage
15	Moisture expansion	BDS EN ISO 10545-10	As per Manufacturer	0.01mm/m
16	Thermal expansion (COE)	BDS EN ISO 10545-8	Max. 9.0 x 10^{-6}	Max. 7 x 10^{-6}
17	Crazing Resistance	BDS EN ISO 10545-11	No crazing	No crazing
18	Chemical Resistance	BDS EN ISO 10545-13	No damage	No damage
19	Frost Resistance	BDS EN ISO 10545-12	No visible damage	No visible damage
20	Resistance to Staining	BDS EN ISO 10545-13	Min. Class 3	Class 5

MATT FLOOR
60X60 CM

MATT WALL & FLOOR
20X17.5 CM

	TEST DESCRIPTION	STANDARD METHOD	ISO/BDS	KHADIM STANDARD
1	Length & Width	BDS EN ISO 10545-2	±0.5%	±0.3%
2	Thickness	BDS EN ISO 10545-2	±5%	±0.3%
3	Straightness of Sides	BDS EN ISO 10545-2	±0.5%	±0.35%
4	Rectangularity	BDS EN ISO 10545-2	±0.5%	±0.35%
5	Surface Flatness	BDS EN ISO 10545-2	±0.5%	±0.4%
6	Water Absorption	BDS EN ISO 10545-3	Group Blb 0.5%<Eb≤3%	<1.0%
7	Modulus of Rupture	BDS EN ISO 10545-4	Group Blb Min. 30 N/mm^2	≥ 42 N/mm^2
8	Resistance to Surface Abrasion	BDS EN ISO 10545-6	Class 4-5	Class 4-5
9	Thermal Shock Resistance	BDS EN ISO 10545-9	No visible defect	No visible defect
10	Crazing Resistance	BDS EN ISO 10545-11	No crazing	No crazing
11	Frost Resistance	BDS EN ISO 10545-12	No visible damage	No visible damage
12	Resistance to Chemical	BDS EN ISO 10545-13	No damage	No damage
13	Resistance to Staining	BDS EN ISO 10545-14	No occuring	No occuring

MATT WALL & FLOOR
30X60 CM | 30X90 CM

	TEST DESCRIPTION	STANDARD METHOD	ISO/BDS	KHADIM STANDARD
1	Length & Width	BDS EN ISO 10545-2	±0.5%	±0.3%
2	Thickness	BDS EN ISO 10545-2	±5%	±0.3%
3	Straightness of Sides	BDS EN ISO 10545-2	±0.5%	±0.35%
4	Rectangularity	BDS EN ISO 10545-2	±0.5%	±0.35%
5	Surface Flatness	BDS EN ISO 10545-2	±0.5%	±0.4%
6	Water Absorption	BDS EN ISO 10545-3	Group BIb 0.5%<Eb≤3%	<3.0%
7	Modulus of Rupture	BDS EN ISO 10545-4	Group BIb Min. 30 N/mm^2	≥ 35 N/mm^2
8	Resistance to Surface Abrasion	BDS EN ISO 10545-6	Class 4-5	Class 4-5
9	Thermal Shock Resistance	BDS EN ISO 10545-9	No visible defect	No visible defect
10	Crazing Resistance	BDS EN ISO 10545-11	No crazing	No crazing
11	Frost Resistance	BDS EN ISO 10545-12	No visible damage	No visible damage
12	Resistance to Chemical	BDS EN ISO 10545-13	No damage	No damage
13	Resistance to Staining	BDS EN ISO 10545-14	No occuring	No occuring

CRYSTAL GLOSSY WALL
30X60 CM | 25X40 CM

	TEST DESCRIPTION	STANDARD METHOD	ISO/BDS	KHADIM STANDARD
1	Length & Width	BDS EN ISO 10545-2	+0.5%	+0.3%
2	Thickness	BDS EN ISO 10545-2	±5%	+0.3%
3	Straightness of Sides	BDS EN ISO 10545-2	+0.5%	+0.35%
4	Rectangularity	BDS EN ISO 10545-2	+0.5%	+0.35%
5	Surface Flatness	BDS EN ISO 10545-2	+0.5%	+0.4%
6	Color difference	ISO 10545-16	Unaltered	Unaltered
7	Water Absorption	BDS EN ISO 10545-3	Group BIII >10%	<15.0%
8	Apparent Density	DIN 51082	> 2.0 g/cc	> 2.20 g/cc
9	Modulus of Rupture	BDS EN ISO 10545-4	Group BIII Min. 12 N/mm^2	> 17N/mm^2
10	Breaking Strength	BDS EN ISO 10545-4	> 600 N	> 700 N
11	Impact resistance (COR)	BDS EN ISO 10545-5	As per Manufacturer	> 0.55
12	Thermal Shock Resistance	BDS EN ISO 10545-9	No damage	No damage
13	Moisture expansion	BDS EN ISO 10545-10	As per Manufacturer	0.01mm/m
14	Thermal expansion (COE)	BDS EN ISO 10545-8	Max. 9.0 x 10^{-6}	Max. 6.5 x 10^{-6}
15	Crazing Resistance	BDS EN ISO 10545-11	No crazing	No crazing
16	Chemical Resistance	BDS EN ISO 10545-13	No damage	No damage
17	Frost Resistance	BDS EN ISO 10545-12	No visible damage	No visible damage
18	Resistance to Staining	BDS EN ISO 10545-13	Stains removed	Stains removed

diseño

SERIES

TECHNICAL SPECIFICATION

MATT FLOOR
40X40 CM | 30X30 CM

CRYSTAL GLOSSY FLOOR
40X40 CM

	TEST DESCRIPTION	STANDARD METHOD	ISO/BDS	KHADIM STANDARD
1	Length & Width	BDS EN ISO 10545-2	±0.5%	±0.3%
2	Thickness	BDS EN ISO 10545-2	±5%	±0.3%
3	Straightness of Sides	BDS EN ISO 10545-2	±0.5%	±0.35%
4	Rectangularity	BDS EN ISO 10545-2	±0.5%	±0.35%
5	Surface Flatness	BDS EN ISO 10545-2	±0.5%	±0.4%
6	Water Absorption	BDS EN ISO 10545-3	Group Blb 0.5%<Eb≤3%	<3.0%
7	Modulus of Rupture	BDS EN ISO 10545-4	Group Blb Min. 30 N/mm^2	≥ 42 N/mm^2
8	Resistance to Surface Abrasion	BDS EN ISO 10545-6	Class 4-5	Class 4-5
9	Thermal Shock Resistance	BDS EN ISO 10545-9	No visible defect	No visible defect
10	Crazing Resistance	BDS EN ISO 10545-11	No crazing	No crazing
11	Frost Resistance	BDS EN ISO 10545-12	No visible damage	No visible damage
12	Resistance to Chemical	BDS EN ISO 10545-13	No damage	No damage
13	Resistance to Staining	BDS EN ISO 10545-14	No occuring	No occuring

diseño

SERIES

PRODUCT DETAILS

	SIZE (cm)	THICKNESS (mm)	PCS/BOX	WEIGHT(kg)/BOX
1	60x60	10	4	33
2	30x90	10	4	25
3	40x40	9	10	32
4	30x30	8	13	21
5	20x17.5	10	20	12
6	30x60	9.5	6	19
7	25x40	8.5	12	19

*All figures are in approximate values

Use InstaFIX Tile Adhesive with grout GUARD

for proper tile application and the best performance.

APR 2024 (7th Ed)

KHADIM CERAMICS

Other concerns

MIRPUR CERAMICS

SUNSHINE BRICKS

KHADIM MORTARS

CORPORATE OFFICE
62, Kalshi Road, Section-12
Mirpur, Dhaka-1216, Bangladesh

+880-2-41001213
+880-2-41001214

mirpurceramic.com
khadimceramic.com
khadimmortars.com